

Calderon, Wanda

From: Bean, Mark
Sent: Thursday, November 05, 2015 1:17 PM
To: Dorsey, Alicia
Subject: RE: Clarification and questions before I send info to you

EPA Headquarters replied that crosslinking is not subject to TSCA with respect to the process you described during the inspection.

Mark Bean
U.S. Environmental Protection Agency – Region 2
Pesticides & Toxic Substances Branch
2890 Woodbridge Avenue
Edison, NJ 08837
Phone: 732-321-6606; Fax: 732-321-6788

From: Dorsey, Alicia [<mailto:Alicia.Dorsey@saint-gobain.com>]
Sent: Monday, November 02, 2015 2:13 PM
To: Bean, Mark
Subject: RE: Clarification and questions before I send info to you

OK. Thanks.

From: Bean, Mark [<mailto:Bean.Mark@epa.gov>]
Sent: Monday, November 02, 2015 1:37 PM
To: Dorsey, Alicia
Cc: Schulz, Susan
Subject: RE: Clarification and questions before I send info to you

Hi Alicia

I appreciate your efforts to send the requested information. Please send what you have tomorrow and follow up with the remainder by the 6th. Thanks.

Mark Bean
U.S. Environmental Protection Agency – Region 2
Pesticides & Toxic Substances Branch
2890 Woodbridge Avenue
Edison, NJ 08837
Phone: 732-321-6606; Fax: 732-321-6788

From: Dorsey, Alicia [<mailto:Alicia.Dorsey@saint-gobain.com>]
Sent: Monday, November 02, 2015 1:03 PM
To: Bean, Mark
Subject: RE: Clarification and questions before I send info to you


Hi. We are working with our IT group to find records before our system change over in 2013. This is proving to take more time than we anticipated. Therefore, we are requesting an extension through Friday, November 6---if possible. Sorry! We have new employees and the manager who is out on short term disability. I am pulling out all the stops and hope to

send things your way tomorrow. But, just in case I do not get what I need from our archives, it would be helpful to have a couple of extra days.

Thank you,

Alicia

Alicia M. Dorsey, M.S.E.
EHS Manager| Saint-Gobain Performance Plastics
14 McCaffrey St.|Hoosick Falls, NY 12090
Office: (518)-686-6278
Cell: (518) 203-9127



From: Bean, Mark [<mailto:Bean.Mark@epa.gov>]
Sent: Wednesday, October 28, 2015 3:17 PM
To: Dorsey, Alicia
Subject: RE: Clarification and questions before I send info to you

My work number 732-321-6606

Mark Bean
U.S. Environmental Protection Agency – Region 2
Pesticides & Toxic Substances Branch
2890 Woodbridge Avenue
Edison, NJ 08837
Phone: 732-321-6606; Fax: 732-321-6788

From: Dorsey, Alicia [<mailto:Alicia.Dorsey@saint-gobain.com>]
Sent: Wednesday, October 28, 2015 1:44 PM
To: Bean, Mark
Subject: RE: Clarification and questions before I send info to you

Ok. I will call. Which number is best?

Sent from Divide managed by MobileIron

On Oct 28, 2015 10:04:32 AM, "Bean, Mark" <Bean.Mark@epa.gov> wrote:
Hi Alicia

Friday morning around 9:30 is good.

Mark Bean
U.S. Environmental Protection Agency – Region 2

Pesticides & Toxic Substances Branch
2890 Woodbridge Avenue
Edison, NJ 08837
Phone: 732-321-6606; Fax: 732-321-6788

From: Dorsey, Alicia [<mailto:Alicia.Dorsey@saint-gobain.com>]
Sent: Wednesday, October 28, 2015 9:01 AM
To: Bean, Mark
Subject: RE: Clarification and questions before I send info to you

Hi Mark. Hope you are well.

I would like to speak with you in order to clarify a few things before I send the info over to you. When is the best time to speak with you?

Cordially,

Alicia

Alicia M. Dorsey, M.S.E.
EHS Manager | Saint-Gobain Performance Plastics
14 McCaffrey St. | Hoosick Falls, NY 12090
Office: (518)-686-6278
Cell: (518) 203-9127

